## **CLAIMS**

What is claimed is:

A method of replaying a portion of a video comprising the steps of:
 receiving, during a playing of a video, a replay request to replay a portion of a video;
 storing a request position of the playing of the video responsive to the replay request;
 skipping, responsive to the replay request, the video to a replay position that is responsive
to a preestablished replay preference;

enabling a playing of supplementary information; playing the video and the supplementary information from the replay position; and discontinuing the playing of supplementary information responsive to the request

position.

5

10

- 2. The method of claim 1, wherein the replay request is a voice command.
- 3. The method of claim 1, wherein the skipping is responsive to a preestablished replay preference amount adjusted by segment information.
- 4. The method of claim 1, wherein the skipping is responsive to a preestablished replay preference amount adjusted by segment information subject to an override range.
- 5. The method of claim 1, wherein the preestablished replay preference is defined by segment information.
- 6. The method of claim 1, wherein the skipping is increased by a contemporaneous 20 subsequent replay request.
  - 7. The method of claim 1, wherein the skipping is responsive to a system preestablished replay preference amount, adjusted by segment information, and increased by a contemporaneous subsequent replay request.

- 8. The method of claim/1, wherein the replay request is a voice command; and wherein the playing of supplementary information comprises substituting an audio language played prior to the replay request with a different audio language.
- 9. A method of replaying a portion of a video comprising the steps of:
  receiving, during a playing of a video, a replay request to replay a portion of a video;
  storing a request position of the playing of the video responsive to the replay request;
  skipping, responsive to the replay request, the video to a replay position that is responsive to a preestablished replay preference;

enabling a playing of subtitles;

- playing the video and the subtitles from the replay position; and discontinuing the playing of subtitles responsive to the request position.
  - 10. The method of claim 9, wherein the replay request is a voice command.
  - 11. The method of claim 9, wherein the skipping is responsive to a preestablished replay preference amount adjusted by segment information.
  - 12. The method of claim 9, wherein the skipping is increased by a contemporaneous subsequent replay request.
  - 13. The method of claim 9, wherein the skipping is responsive to a system preestablished replay preference amount, adjusted by segment information, and increased by a contemporaneous subsequent replay request.
- 14. The method of claim 9, wherein the replay request is a voice command; and wherein the subtitles played are in a language different from an audio language played.
  - 15. A system capable of replaying a portion of a video comprising:

a user interface means for receiving, during a playing of a video, a replay request to replay a portion of a video;

a memory means for storing a request position of the playing of the video responsive to the replay request;

a random accessing means for skipping, responsive to the replay request, the video to a replay position that is responsive to a preestablished replay preference;

a processing means for enabling a playing of supplementary information; playing the video and the supplementary information from the replay position; and discontinuing the playing of supplementary information responsive to the request position.

- 16. The method of claim 15, wherein the replay request is a voice command.
  - 17. The method of claim 15, wherein the skipping is responsive to a preestablished replay preference amount adjusted by segment information.
  - 18. The method of claim 15, wherein the skipping is increased by a contemporaneous subsequent replay request.
- 19. The method of claim 15, wherein the skipping is responsive to a system preestablished replay preference amount, adjusted by segment information, and increased by a contemporaneous subsequent replay request.
- 20. The method of claim 15, wherein the replay request is a voice command; and wherein the playing of supplementary information comprises substituting an audio language 20 played prior to the replay request with a different audio language.